


CARE4 MODULE NAME: Inotropes/Vasopressors Orders


Overview

The purpose of this tip sheet is to highlight some steps to include when ordering inotropes and vasopressors, individually or when selecting the CRIT Inotropes Vasopressors order set.

Select order for CRIT Inotropes Vasopressors from Orders tab.



Targets must be established (i.e. Blood Pressure targets, Heart rate targets). Enter target values.



Select the medication you would like to order, and edit the rate or dose as required. Click the protocol icon to view and edit the protocol.

CRIT Inotropes Vasopressors

Heart Rate Target

Order New 15/09/2021 21:18

*HR Minimum Target 60

*HR Maximum Target 90

Heart Rate Target Details

Arterial Line Inserted by RRT/AA

Arterial Line (Maintain)

Medications: Vasopressor Agents

norepinephrine infusion

> norepinephrine [Levophed] 4 mg IV TITR (P) Ordered 14/09/2021 12:30

norepinephrine 4 mg in D5W 250 mL (16 mcg/mL) at ___ mcg/kg/min

Per Protocol mcg/kg/min IV TITR SCH (P) ⚠

Protocol norepinephrine titration

norepinephrine Minimum Rate (mcg/kg/min) 0.03

norepinephrine Maximum Rate (mcg/kg/min) 3

titrate as per rate and blood pressure target parameters

Rate is defaulted in, yet edits can be made to protocol (i.e. to minimum and maximum rate). Make edits to the protocol if necessary, then click Save.

ENTER RECONCILE TRANSFER

Edit Protocol Cancel Save

> norepinephrine [Levophed] 4 mg IV TITR
Start: 14/09/2021 12:30 Stop:


Protocol norepinephrine titration

Indicate min/max rates

norepinephrine Minimum Rate (mcg/kg/min) 0.3

norepinephrine Maximum Rate (mcg/kg/min) 4

titrate as per rate and blood pressure target parameters

To expand more fields within the order, use the Expand button  at the bottom of the order. More editable fields will be displayed. Select protocol from the dropdown menu it needed to be changed for Pediatric doses.

CRIT Inotropes Vasopressors Clear All

Medications: Vasopressor Agents

Label Comments

Special Instructions

Protocol

Condition

Instruction

Protocol Text

norepinephrine (PAED)

norepinephrine (PAED)

norepinephrine titration

Search All Protocols Q

start at 0.05 mcg/kg/min, titrate to effect in 0.02 mcg/kg/min increments to Max of 2 mcg/kg/min

If targets change, select targets again (i.e. BP Target) and enter new values.

The screenshot shows a form titled "Blood Pressure Target" with a "New" button. It contains three input fields for target values:

- Target Systolic Equal to or Greater Than: 110
- Target Systolic Equal to or Less Than: (empty)
- Target Diastolic Equal to or Greater Than: 60

Medications ordered outside of the CRIT Inotrope/Vasopressor order set

Enter an order for 'Blood Pressure Target'.

The screenshot shows the "Orders" menu with tabs for "CURRENT", "ENTER", and "RECONCILE". The "ENTER" tab is active, and the "Add New" button is highlighted. A search bar contains "bp". The "BP [Blood Pressure Target]" option is highlighted with a red box, and a "Similar Order Selected" link is visible next to it.

Enter an order for the medication, then select a protocol from the drop down.

The screenshot shows the "DOPamine infusion IV" order form. The "DOPamine infusion IV" option is highlighted with a red box. The "Protocol" dropdown menu is open, and "DOPamine titration" is selected, highlighted with a red arrow. A red box highlights the dropdown arrow icon.

Below the form, the "Special Instructions" field is empty, and the "Protocol" dropdown is set to "DOPamine titration".

Indicate min/max rates

DOPamine Minimum Rate (mcg/kg/min)	2
DOPamine Maximum Rate (mcg/kg/min)	20

titrate as per rate and blood pressure target parameters