

CARE4 MODULE NAME:PCS

PCA;CADD/Palliative Pain Infusions; Peripheral Nerve Block and Epidurals (OB & Non-OB) Documentation and Workflow

- All of these pain management methods are orderable through order sets/orders.
- They each have unique protocols (P) attached which will flow to worklist (as an orderable intervention Io from order sets).
- The details of the physicians order (Io) are available here as well.
- These protocols indicate the required assessments, VS and monitoring required ***the required assessments, VS etc are not auto populated to worklist – nurse may have to add if not on current SOC for patient***

Io	ORD Protocol Anes. Nerve Block	As Per Pr...	P U
Io	ORD Protocol Epidural (NON-OBS)	As Per Pr...	P
Io	ORD Protocol Epidural Obstetrics	As Per Pr...	P
Io	ORD Protocol PCA	As Per Pr...	P
Io	ORD Protocol PCA Palli. Pain Management	As Per Pr...	P
Io	ORD Protocol PCA Palli. Terminal Comfort	As Per Pr...	P
Io	ORD Protocol PCA Remifentanil (BU)	PROTOCOL	P

- These protocols are regionalized, reviewed by physicians, appropriate working groups, and professional practice

There are specific interventions for these pain management methods. They will need to be added to worklist (or speciality care flowsheet if user has accessibility) for required documentation

Epidural (OB and Non-Obs) – Utilize PCEA Intervention

- A PCEA Epidural Spinal or Combined P

Post delivery Epidural (for OB only)

- A OB Post Delivery Epidural Spinal CSE Q1HR

PCA – for PCA and PCA Remifentanil (BU)- Utilize PCA Assessment

- A PCA Assessment

CADD/Palliative Pain Infusion – for both Palliative Pain Management, and Palliative Terminal Comfort

- A CADD/Palliative Pain Infusion Assessment

Specific eMAR documentation exists for each of the pain management methods – see Tip sheet re same