CARE4 MODULE NAME: OM (Order Management) Physician view for Bolus doses

Overview

This document will provide information regarding the new changes to ordering Bolus medications Go Live date Feb 24th, 2022

1. It is highly recommended that physicians use Order sets to order boluses going forward. As a result three convenience sets have been made:

► > NS solutions
► O > RL solutions
D5W solutions →

These convenience sets have aliases attached for the specific fluid they represent as well as other keywords like BOLUS and INFUSION. These aliases have also been attached to the GEN Standard IV Solutions so this

2. Within these sets, and any other set where Boluses appear, the OM display feature has been optimized to display the bolus strength

Unselected:	Selected:
✓ Ringer's Lactate 500 mL BOLUS	✓ Ringer's Lactate 500 mL BOLUS
ringer's solution, lactated [Lactated Ringer's] 500 ml	🗹 Ringer's Lactate 500 mL BOLUS оме оме 퉳
999 mls/hr IV BOLUS ONE	ringer's solution, lactated [Lactated Ringer's] $$ IV $$ BOLUS $$ 999 $$ mls/hr $$

This also carries on through the transfer feature:

New Ringer's Lactate 500 mL BOLUS ringer's solution, lactated [Lactated ... IV BOLUS 999 mls/hr

It is important to note this feature is only available through sets, it cannot be reflected on orders ordered from outside of sets

NOTE: YOU WILL NOW BE ABLE TO SEE THE VOLUME YOU SELECTED TO BOLUS VERSUS HAVING TO CLICK THE IV BAG ICON

- 3. Other Changes made to optimize BOLUS strings:
 - a. Frequency changed to say BOLUS instead of ONE. This is another visual change to indicate it is a bolus dose
 - b. Comment to "infuse over an hour unless otherwise specified" removed from bolus strings. The rate will remain at 999 mL/hour so there will not be confusion if fluid to be run at 999 mL/hour or run over an hour
- 4. If you have favourited and/or customized an order set with a preselected IV BOLUS or IV INFUSION, in order for the changes to be properly reflected you should refavourite the set with your preferences

